



Town of Camden
Select Board Meeting
July 8, 2014 -6:30 p.m.

This meeting will be broadcast on Channel 22
Select Board meetings are web streamed lived at
www.townhallstreams.com

A. Call to Order

B. Communications, Presentations, and Recognitions

1. Establishment of the Rules of Order to be followed at Select Board Meetings
2. Camden's oldest resident Boston Post and Cane recipient
3. Camden Public Library Update – Nikki Maounis
4. Confirmation of Camden Public Library Trustees Amy Rollins and Claudia Griffiths
5. Ragged Mountain Recreation Area Update – Landon Fake

C. Citizen Comments (for items *not* on the agenda)

This time is set aside for members of the public to comment on any town-related issue that is not on the agenda. We ask that people keep comments within 3 minutes

D. Approval of Select Board Minutes of June 24, 2014

E. Select Board Member Reports

F. Town Manager Report

G. New Business

1. Review and award bid for a 2014 Terrastar Public Works dump truck
2. Review and award bid for Public Works backhoe/loader
3. Authorize payment of the FY 14 Knox County Tax Assessment and Communications Center Fees
5. Public hearing on application of Whitehall Inn at 52 High Street for a Special Amusement Permit.
6. Reappointment of the Town Manager pursuant to Article II, Section 1 of the Town Charter.
7. Reappointment of the Road Commissioner pursuant to Title 23, Section 2701, MRSA.
8. Reappointment of the Harbormaster pursuant to the Harbor & Waterways Ordinance, Article III, Section 3.

9. Reappointment of an Assessor's Agent pursuant to Article IV, Part C, Section 2 of the Town Charter
10. Reappointment of the Health Officer pursuant to M.R.S.A. §451
11. Confirmation of the Town Manager's appointments of the Treasurer, Tax Collector, and the Town Clerk and Department Heads pursuant to Article III of the Town Charter.

H. Select Board Closing Comments

Adjourn


**Rules and Order of Business
for Select Board Meetings**

- A. The Select Board will meet on the first and third Tuesday evening of each month unless the Board decides at a prior meeting to hold special meetings and workshops, or not to hold a meeting.
- B. The Select Board will hold its meetings in the Washington St. Conference Room, unless an alternative location is selected. If a different location is selected, the Select Board must provide sufficient prior notice to make the public aware of the different meeting location.
- C. The Select Board meetings will begin at 6:30 p.m. unless otherwise noted.
- D. A draft agenda will be transmitted to the local newspapers by closed of business on Friday and be posted in a few prominent locations around Camden including the Town Office, Post Office, Public Library, Public Safety Building, and the town's website. Any revisions to the agenda will be immediately posted to the website.
- E. Select Board meetings will be recorded and broadcast on the government access Channel 22 and are web streamed live at www.townhallstreams.com.
- F. Agenda items and necessary back-up information must be submitted to the Town Manager's Office no later than noon on the Wednesday prior to the meeting.
- G. The Select Board will only act on items that appear on the final posted agenda unless the immediacy of the issue requires an item to be added to the agenda at the meeting.
- H. The Select Board will follow the agenda order unless the Board decides to change the order.
- I. The Select Board allows comments on agenda items. Comments are asked to be kept at three minutes and relevant to the agenda item. The Select Board will also set aside a time on every agenda that allows the public to speak on non-agenda items.
- J. Three members are required to be present for a quorum. Three votes in the affirmative will be required for passage of a motion.
- K. All persons attending Select Board meetings will be treated with respect.

Approved by the Camden Select Board on July 8, 2014.

Office of:

Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office

P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

June 24, 2014

Vernette Robarts
185 Belfast Road
Camden, Maine 04843

Re: BOSTON POST CANE

Dear Mrs. Robarts:

The town has been researching who the oldest Town of Camden resident is, and we believe it's you! Several years ago the Select Board adopted some guidelines for awarding the Boston Post Cane. The most important criteria is that the awardee has to have been a continuous resident in Camden for 75 years, except for serving his/her country in time of war, or attending a college or university then returning to Camden upon graduation.

I thought you might like to have a little history on the Boston Post Canes themselves, and have attached an article from *Downeast* magazine (April 1981) which provides some good information about them.

Before we proceed to ask the Select Board to award the Cane to you, I thought I would write to you to see if you would accept the Boston Post Cane Award. After the award is voted, the news media would probably like to do a news story about you and take a photograph.

Actually, we have lost the Cane at times during the past, because the families of some recipients did not realize what it's significance was, so we now present the Cane, but then give you a plaque instead, and bring the Cane back to the Town Office to secure it in our display case. Alongside the display case we have a nice plaque which lists the names of the recipients and the years during which they held the Cane.

Would you like to accept the Boston Post Cane Award? We would really be pleased if you would. If you would like to call me at 236-3353 or drop me a note at the Town Office, then we could coordinate further. Thanks for considering this!

Sincerely,

A handwritten signature in cursive script that reads "Janice L. Esancy".

Janice L. Esancy
Town Manager's
Administrative Assistant



Canes In Maine

BACK in 1909, E. A. Grozier, the promotion-minded publisher of the *Boston Post*, presented fancy gold-headed walking canes to no less than 431 New England towns within the paper's circulation area. In letters to the selectmen concerned, Grozier asked that the sticks, made of African ebony and capped with a head of "rolled gold of 14 karat fineness," be presented to each town's oldest citizen and then passed on to succeeding venerables as conditions dictated. Today, the *Post* is gone and so, it seems, are many of the canes.

At least that is the word from Mrs. Carroll Burns of Dorchester, Massachusetts, who has been busy for the past year trying to track down all 431 of the canes. Mrs. Burns, who at sixty-nine presumably has quite a few years to wait before she herself can become a candidate, comes by her interest in the *Post* canes through family connections. Two aunts and a grandfather have held the Northwood, New Hampshire, cane, and her mother-in-law who lived on Vinalhaven Island in Penobscot Bay was also presented with a cane before her death at ninety-four.

To date, by writing letters and visiting post offices, town halls, and newspaper offices throughout New England, Mrs. Burns has located 253 canes. By far the largest number, 104 at last count, have turned up in Maine. According to Mrs. Burns, "Folks in Maine are doing really well in keeping up the custom." The oldest current possessor of a Maine cane is a 107-year-old lady in Winthrop.

Encouraged by the response to her campaign, Mrs. Burns is hopeful of tracking down all existing canes, although she admits this may prove a formidable task. "One lady told me she's seen them being sold at flea markets," she says ruefully.

Nevertheless, Mrs. Burns presses on with her mission. During summer visits to Maine, she makes a point of paying visits to local cane holders. While most are pleased to acknowledge their longevity, Mrs. Burns reports, "some don't like the idea of publicity. They don't want to give out their ages."



Camden Public Library
55 Main Street
Camden, Maine 04843

Phone: 207-236-3440
Fax: 207-236-6673
www.librarycamden.org

June 20, 2014

Camden Select Board
Camden Town Office
Camden, ME 04843

Dear Select Board,

We respectfully ask the Select Board to confirm our newest Camden Public Library Trustees, **Amy Rollins and Claudia Griffiths**. They were elected by the Board of Trustees at their most recent meeting in June.

The current list of Trustees is as follows:

Kate Bates (secretary)
Kristin Bifulco
Daniel Cheever (vice-president)
Leslie Curtis
Deb Dodge

John Fitzgerald (president)
Susan Flynn
Deborah Jordan (treasurer)
Mik Mikkelsen
Claire Sanford

Both Elizabeth Moran and Janice Washburn Gates have recently stepped down and are no longer members of the Board.

Thank you for consideration of this matter.

Sincerely,

Nikki Maounis
Library Director

2015 TERRESTAR SFA 4X4

	2015 Model	2014 Model with	
Morrison & Sylvester	\$60,990	\$109,665	
	2015 Model	2015 with Option 1	2015 with Option 2
Daigle & Houghthon	\$63,442	\$65,145	\$63,882

Option 1: Right side air bag (includes new brackets and pressure gauge)

Option 2: Install extra leaf in right side spring

Bids were opened on Weds, June 11, 2014. Witnessed by Janice Esancy, Pat Finnigan, Ryan Daigle, and Mike Cloutier

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 TERRESTAR SFA 4X4 (TR005)" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

Option 1: \$ 65,145.42
Option 2: \$ 63,882.38
(Please see attached specifications for options)

Name of Individual / Company: Ryan Daigle - Daigle & Houghton, Inc.

Address: 571 Caldbrook Rd

Herman, ME 04401

Printed Name of Person Signing Form: Ryan Daigle

Telephone: (207) 941-9600 (o) (207) 316-3378 (c)

Email: rdaigle@daigleandhoughton.com

Signature: *Ryan Daigle*

Date: June 11th, 2014

Purchase is contingent upon final budget approval at the June 2014 Town Meeting

Bids shall be placed in a sealed envelope marked "2015 TERRESTAR SFA 4X4 (TR005)" and received in the Office of the Camden Town Manager, P.O. Box 1207, 29 Elm Street, Camden, Maine 04843 on or before noon, Wednesday, June 11, 2014. (No FAX bids will be accepted.)



**DAIGLE &
HOUGHTON**
YOUR LEADER IN SERVICE

130 Market Street
P.O. Box 191
Fort Kent, ME 04743
(207) 834-6186
1-800-638-8666
(207) 834-6183 Fax

571 Coldbrook Road
P.O. Box 332
Hermon, ME 04401
(207) 941-9600
1-888-329-4950
(207) 941-9601 Fax

www.daigleandhoughton.com



Town of Camden

TerraStar 4x4 Quote Breakdown

Total Chassis Cost (Including Extended Warranty).....\$61,094.40
 Swap Tires to Michelin XDS Front & Rear.....\$1,518.74
 (includes credit of tires from factory & spare)
 Install Hood Hatch for Serviceability.....\$828.50
Subtotal.....\$63,441.64

Option 1:

Right Side Air Bag (Includes new brackets and pressure gauge).....\$65,145.42

Option 2:

Install Extra Leaf in Right Side Spring.....\$63,882.38

***Please note: extra leaf option 2 is highly recommended. Per experts it would have a much greater effect on the potential sag of the wing side rather than an air bag due to location of spring vs. frame and available space

If you have any questions, please do not hesitate to ask your Daigle & Houghton Sales Representative, Ryan Daigle at 941-9600.

Ryan Daigle
Sales
Daigle & Houghton, Inc
(207)941-9600 (office)
(207)316-3378 (cell)
rdaigle@daigleandhoughton.com



Prepared For:
Camden Public Works
Rick Siebel
54 John St.
Camden, ME 04843-1915
(207)236 - 7954
Reference ID: N/A

Presented By:
DAIGLE & HOUGHTON INC
Ryan Daigle
130 MARKET STREET
FORT KENT ME 04743 -
(207)834-6186

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2015 TERRASTAR SFA 4x4 (TR005)

APPLICATION:	Service Body
MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500 Calc. Start / Grade Ability: 37.83% / 2.63% @ 55 MPH Calc. Geared Speed: 99.9 MPH
FUEL ECONOMY:	9.34 MPG @ 55 MPH
DIMENSION:	Wheelbase: 158.00, CA: 83.60, Axle to Frame: 49.00
ENGINE, DIESEL:	{MaxxForce 7} EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1350_RDS} 5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional
TIRE, FRONT:	(2) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
TIRE, REAR:	(4) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 13,500-lb Capacity
PAINT:	Cab schematic 100TA Location 1: 0238, Red (Prem) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
TR00500	Base Chassis, Model TERRASTAR SFA 4x4 with 158.00 Wheelbase, 83.60 CA, and 49.00 Axle to Frame.
1CDN	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 7.375" x 3.079" x .312" (187.45mm x 78.2mm x 8.0mm) With Transition to 9.125" x 3.079" x .312" (231.8mm x 78.2mm x 8.0mm); Includes 1.2" (30mm) Drop Under Cab; 335.2" (8512.2mm) Maximum OAL
	<u>Notes</u> : Refer to WB/AF COMBINATIONS Chart in the Compatibility Charts section of the CT-400 Data Book and the Price List for compatible AF dimension.
1LRR	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.118" Material Thickness, Dark Gray
	<u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1SAL	CROSSMEMBER, REAR, AF (01)
1WEB	WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)
2EZV	AXLE, FRONT DRIVING {Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity
3AJJ	SUSPENSION, FRONT, SPRING Taper Leaf, Shackles Type; 8,000-lb Capacity; With 7,000-lb Capacity Steel Spring & (1) Rubber Auxiliary Spring (1000-lb Capacity), With Shock Absorbers
4087	BRAKE SYSTEM, HYDRAULIC {TRW 355} Split System, With Three Channel ABS
	<u>Includes</u> : BRAKE LININGS, FRONT HX-73, Non-Asbestos : BRAKE LININGS, REAR HX-73, Non-Asbestos
4GAX	BRAKE, PARKING {TRW} Drum-in-Hat Type; for Hydraulic Brake chassis; Activated by Lever in Cab; Mounted in Rear Wheels
	<u>Includes</u> : PARKING BRAKE CONTROL Lever, Floor Mounted, Located Right of Driver
4JNH	BRAKES, FRONT, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons
4NNH	BRAKES, REAR, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons
5710	STEERING COLUMN Tilting and Telescoping
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PSN	STEERING GEAR {Sheppard MD83} Power
7BDE	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Left Side Back of Cab; Includes Horizontal Tail Pipe
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam Halogen, 5" x 7" Rectangular, with Molded-In Argent Colored Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

<u>Code</u>	<u>Description</u>
	: RUNNING LIGHT (2) Daytime, Included With Headlights
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord
8GXB	ALTERNATOR {Leece-Neville AV160P2003} Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
8MMG	BATTERY SYSTEM {Deka/EAST PENN 9A31} Maintenance-Free (3) AGM 12-Volt 2775CCA Total
8RCB	CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring
8RMD	RADIO AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers
8THB	BACK-UP ALARM Electric, 102 dBA
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications
8TRS	STOP, TURN, TAIL & B/U LIGHTS (2) {Grote} Multi-Function, Sealed, SuperNova LED S/T/T Lights, One Includes LED License Plate Light, B/U Lights are Incandescent
8WBW	JUMP START STUD Remote Mounted
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post
8WCS	BATTERY DISCONNECT SWITCH {Joseph Pollak 51-315} Positive Type, Lever Operated, Cab Mounted
	<u>Includes</u>
	: BATTERY DISCONNECT SWITCH Mounted to Outside of Battery Box
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WSM	SWITCH, BODY CIRCUITS, MID ; for Bodybuilder, With 6 Switches in Instrument Panel; One Power Module With 6 Channel, 20 Amp Max. Per Channel and 80 Amp Max Output, Switches Control the Power Module Through Multiplex Wiring, Mounted Battery Box Back of Cab
8WTP	COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side
	<u>Notes</u>
	: Feature included with CAB INTERIOR TRIM, Premium
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WYD	STARTING MOTOR {Delco Remy 29MT} 12 Volt; Less Thermal Over-Crank Protection, With Integrated Magnetic Switch

<u>Code</u>	<u>Description</u>
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9HCG	GRILLE Chrome, with Chrome Headlight Bezels
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction <u>Includes</u> : HOOD TILT ASSIST Includes Torsion Bar Spring System
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10769	PAINT CLASS Premium Color
11001	CLUTCH Omit Item (Clutch & Control)
12890	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1000 Watt <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door
12NVE	ENGINE, DIESEL {MaxxFORCE 7} EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max) <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxFORCE and Navistar Engines : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Engine Mounted : FUEL HEATER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Engine Mounted : GLOW PLUG Automatic with Indicator Light : GOVERNOR Electronic : OIL FILTER, ENGINE Drop-In Cartridge Type
12TTB	FAN DRIVE {Borg-Warner Series 790} Viscous Type, Screw On <u>Includes</u> : FAN Nylon
12UBU	RADIATOR Aluminum; 2-Row, Cross Flow, Side-by-Side System, 697 SqIn Louvered, With 225 SqIn CAC, With In-Tank Oil Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12UNE	FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2014; MaxxFORCE 7 Engines
12VBR	AIR CLEANER With Service Protection Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use

<u>Code</u>	<u>Description</u>
12VYP	ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
13AVY	TRANSMISSION, AUTOMATIC {Allison 1350_RDS} 5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy
13TLK	TRANSFER CASE {Fabco TC-28} Two-Speed, Gear Drive, 3,600 lb-ft Capacity with Electric Shifting Controls, without PTO Provision
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WYL	SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary
14888	DIFFERENTIAL, LOCKING {Dana Spicer Truetrac} Torque Proportioning Limited Slip
14ACN	AXLE, REAR, SINGLE {Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends . Gear Ratio: 4.30 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle
14SAC	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 13,500-lb Capacity <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
15SSW	FUEL TANK Top Draw; Rectangular, Steel; 40 U.S. Gal., 151 L Capacity, 15" Depth, Includes Fuel Filler Assembly and Vent Hosing, Mounted Between Frame Sidemembers and Behind Rear Axle
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGH	GAUGE, OIL TEMP, ALLISON TRAN
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

<u>Code</u>	<u>Description</u>
16JPA	SEAT, DRIVER (National 2000) Self Contained with Compressor, High Back with Integral Headrest, Cloth, Isolated, Mechanical Lumbar, 2 position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDC	GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar
16SDG	MIRROR, CONVEX, LOOK DOWN (Lang Mekra) Right Side; 6" x 10 1/4", With Bright Finish
16SDU	MIRRORS (2) (Lang Mekra) Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets
16SMR	SEAT, PASSENGER (National) Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage
16VSL	WINDSHIELD Heated, Single Piece
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WCT	AIR CONDITIONER (Blend-Air) With Integral Heater & Defroster <u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature
16WKY	HVAC FRESH AIR FILTER
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray In Front of Windshield Under Hood
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Vold of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16XRX	MODESTY PANEL Painted
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights
16XWJ	WINDSHIELD WIPER BLADES Snow Type
26DRR	WHEEL, SPARE, DISC 19.5" Painted Steel, 10 Stud (225MM BC) Hub Piloted, Flange Nut, Metric Mount, 6.00DC Rim
27DAU	WHEELS, FRONT DISC; 19.5" Painted Steel, 10-Stub (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs

<u>Code</u>	<u>Description</u>
28DAU	WHEELS, REAR DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs
7779448102	(2) TIRE, FRONT 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
7779448102	(4) TIRE, REAR 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
Services Section:	
40038	WARRANTY TerraStar Standard 36 Month/36,000 Miles
40GXR	SRV CONTRACT, EXT ENGINE (Navistar) To 60-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxForce 7 Engines
40JXC	SRV CONTRACT, EXT MAJOR COMP To 60-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$67,406.00	
Service Items	\$1,980.00	
Total Factory List Price Including Options:		\$69,386.00
Freight	\$1,300.00	
Total Freight:		\$1,300.00
Total Factory List Price Including Freight:		\$70,686.00
Less Customer Allowance:		(\$9,591.60)
Total Vehicle Price:		\$61,094.40
Total Sale Price:		\$61,094.40
Total Per Vehicle Sales Price:		\$61,094.40
Net Sales Price:		\$61,094.40

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

LIMITED WARRANTY FOR MODELS

TERRASTAR® (4x2, 4x4)

*Effective with vehicles built January 02, 2014 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (Feature Code 40038) (See exceptions listed below)	36	36/60
Towing (Vehicles with Maxforce® 7 engine failures only)	24	100/160
Towing (First 90 days see below) (Vehicle Down Situations Only)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	60	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
Maxforce® 7 Engine	48	100/160
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
Maxforce® 7 Engine	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
Spicer Axles	24	Unlimited
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Batteries	12	Unlimited
Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (e.g., non-International® brand engines, tires, Allison Transmissions, lubricants, etc.)
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment

Repairs & Maintenance

- Maintenance-related items/repairs, or those as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc.

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

_____		_____	
Customer Signature		Date	
_____		_____	_____
Owner's Address	City	State/Prov	Postal Code
_____		_____	
Truck Model	Vehicle Identification Number		
_____		_____	
Engine Number	Engine Serial Number		
_____		_____	
Date Delivered to User (DTU)	Odometer Reading at Delivery		

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

* Alternate Bid

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 TERRESTAR SFA 4X4 (TR005)" and hereby proposes to provide the work as described in the specifications for the bid price shown:

* Stock 2014 TerraStar with H.P. Fairfield Plow Gear

BID PRICE

\$ 109,665.00

Name of Individual / Company: Morrison & Sylvester Inc.
Address: 1175 Minot Ave.
Auburn, ME
Printed Name of Person Signing Form: Michael Cloutier
Telephone: 207-783-8548
Email: mike@morrisontruck.net
Signature: _____
Date: 6/11/14

Purchase is contingent upon final budget approval at the June 2014 Town Meeting

Bids shall be placed in a sealed envelope marked "2015 TERRESTAR SFA 4X4 (TR005)" and received in the Office of the Camden Town Manager, P.O. Box 1207, 29 Elm Street, Camden, Maine 04843 on or before noon, Wednesday, June 11, 2014. (No FAX bids will be accepted.)

Prepared For:
TOWN OF CAMDEN
RICK SIEBEL
29 Elm St.
Camden, ME 04843-1910
(207)236 - 3353

Presented By:
MORRISON & SYLVESTER INC
Michael Cloutier
1175 MINOT AVE
AUBURN ME 04210 -
(207)783-8548

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

ALTERNATE BID

STOCK TRUCK WITH EQUIPMENT

Model Profile
2014 TERRASTAR SFA 4x4 (TR005)

MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500 Calc. Start / Grade Ability: 37.85% / 3.69% @ 55 MPH
DIMENSION:	Wheelbase: 158.00, CA: 83.60, Axle to Frame: 49.00
ENGINE, DIESEL:	{MaxxForce 7} EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1350_RDS} 4th Generation Controls; Close Ratio, 5-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional
TIRE, FRONT:	(2) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
TIRE, REAR:	(4) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 13,500-lb Capacity
PAINT:	Cab schematic 100TA Location 1: 2303, Red (Std) Chassis schematic N/A

Description

Base Chassis, Model TERRASTAR SFA 4x4 with 158.00 Wheelbase, 83.60 CA, and 49.00 Axle to Frame.

FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 7.375" x 3.079" x .312" (187.45mm x 78.2mm x 8.0mm)
With Transition to 9.125" x 3.079" x .312" (231.8mm x 78.2mm x 8.0mm); Includes 1.2" (30mm) Drop Under Cab;
335.2" (8512.2mm) Maximum OAL

Notes

: Refer to WB/AF COMBINATIONS Chart in the Compatibility Charts section of the CT-400 Data Book and the Price List for compatible AF dimension.

BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.118" Material Thickness, Dark Gray

Includes

: BUMPER, FRONT Powder Coated Gray (Argent) Color

CROSSMEMBER, REAR, AF (01)

BUMPER EXTENSION, FRONT 4.0"

WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)

AXLE, FRONT DRIVING {Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity

AXLE, FRONT DRIVING, LUBE {EmGard 75W-90} Synthetic Oil; 1 thru 29.99 Pints

SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers

BRAKE SYSTEM, HYDRAULIC {TRW 355} Split System, With Three Channel ABS

Includes

: BRAKE LININGS, FRONT HX-73, Non-Asbestos

: BRAKE LININGS, REAR HX-73, Non-Asbestos

BRAKE, PARKING {TRW} Drum-in-Hat Type; for Hydraulic Brake chassis; Activated by Lever in Cab; Mounted in Rear Wheels

Includes

: PARKING BRAKE CONTROL Lever, Floor Mounted, Located Right of Driver

BRAKES, FRONT, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons

BRAKES, REAR, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons

STEERING COLUMN Tilting

STEERING WHEEL 2-Spoke, 18" Diam., Black

STEERING GEAR {Sheppard MD83} Power

EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Left Side Back of Cab; Includes Horizontal Tail Pipe

ENGINE EXHAUST BRAKE for MaxxForce 7 V8 Engines, Electronically Activated

SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: BATTERY BOX Steel

Description

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
: FUSES, ELECTRICAL SAE Blade-Type
: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
: HEADLIGHTS (2) Sealed Beam Halogen, 5" x 7" Rectangular, with Molded-In Argent Colored Bezels
: HORN, ELECTRIC Single
: JUMP START STUD Located on Positive Terminal of Outermost Battery
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
: RUNNING LIGHT (2) Daytime, Included With Headlights
: STARTER SWITCH Electric, Key Operated
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
: TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted
: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
: WIRING, CHASSIS Color Coded and Continuously Numbered

HORN, ELECTRIC (2)

POWER SOURCE Cigar Type Receptacle without Plug and Cord

ALTERNATOR {Leece-Neville BLP2361H} Brushless, 12 Volt 185 Amp. Capacity, Pad Mount, with Remote Voltage Sensor

BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {International} Maintenance-Free (3) 12-Volt 2250CCA Total

RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

JUMP START STUD Remote Mounted

BATTERY DISCONNECT SWITCH {Joseph Pollak 51-315} Positive Type, Lever Operated, Cab Mounted

Includes

: BATTERY DISCONNECT SWITCH Mounted to Outside of Battery Box

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

SWITCH, BODY CIRCUITS, MID ; for Bodybuilder, With 6 Switches in Instrument Panel; One Power Module With 6 Channel, 20 Amp Max. Per Channel and 80 Amp Max Output, Switches Control the Power Module Through Multiplex Wiring, Mounted Battery Box Back of Cab

INDICATOR, LOW COOLANT LEVEL With Audible Alarm

STARTING MOTOR {Delco Remy 29MT} 12 Volt; Less Thermal Over-Crank Protection, With Integrated Magnetic Switch

Description

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses

GRILLE Molded, Dark Gray Color

FRONT END Tilting, Fiberglass, With Three Piece Construction

Includes

: HOOD TILT ASSIST Includes Torsion Bar Spring System

PAINT SCHEMATIC, PT-1 Single Color, Design 100

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CLUTCH Omit Item (Clutch & Control)

BLOCK HEATER, ENGINE (Phillips) 120 Volt/1000 Watt

Includes

: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door

ENGINE, DIESEL (MaxxForce 7) EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max)

Includes

: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)

: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce and Navistar Engines

: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel

: ENGINE OIL DRAIN PLUG Magnetic

: ENGINE SHUTDOWN Electric, Key Operated

: FUEL FILTER Engine Mounted

: FUEL HEATER Included with Fuel/Water Separator

: FUEL/WATER SEPARATOR Engine Mounted

: GLOW PLUG Automatic with Indicator Light

: GOVERNOR Electronic

: OIL FILTER, ENGINE Drop-In Cartridge Type

FAN DRIVE (Borg-Warner Series 790) Viscous Type, Screw On

Includes

: FAN Nylon

RADIATOR Aluminum; 2-Row, Cross Flow, Side-by-Side System, 697 SqIn Louvered, With 225 SqIn CAC, With In-Tank Oil Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER With Service Protection Element

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use

Description

ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control

FEDERAL EMISSIONS for 2010; MaxxFace 7 Engines

FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood

OBD COMPLIANCE for 2013 OBD (On Board Diagnostics)

TRANSMISSION, AUTOMATIC {Allison 1350_RDS} 4th Generation Controls; Close Ratio, 5-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy

TRANSFER CASE {Fabco TC-28} Two-Speed, Gear Drive, 3,600 lb-ft Capacity with Electric Shifting Controls, without PTO Provision

TRANSFER CASE LUBE {EmGard 50W} Synthetic; 1 thru 14.99 Pints

WIRING, TRANS, BODY BUILDER Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission

TRANSMISSION OIL Synthetic; 20 thru 28 Pints

SHIFT CONTROL PARAMETERS Allison Load Based Shift Schedules (LBSS)

DIFFERENTIAL, LOCKING {Dana Spicer Truetrac} Torque Proportioning Limited Slip

AXLE, REAR, SINGLE {Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends . Gear Ratio: 4.30

Includes

: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle

SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 13,500-lb Capacity

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

AXLE, REAR, LUBE {EmGard 75W-90} Synthetic Oil; 1 thru 29.99 Pints

FUEL TANK Top Draw; Rectangular, Steel; 40 U.S. Gal., 151 L Capacity, 15" Depth, Includes Fuel Filler Assembly and Vent Hosing, Mounted Between Frame Sidemembers and Behind Rear Axle

FUEL FILTER With Heater

CAB Conventional

Includes

: ARM REST (2) Molded Plastic; One Each Door

: CLEARANCE/MARKER LIGHTS (5) Flush Mounted

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

Description

: STEP (4) Two Steps Per Door

HEATER SHUT-OFF VALVES (2) Ball Check Valve Type

GAUGE CLUSTER English With English Electronic Speedometer

Includes

: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout

: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, OIL TEMP, ALLISON TRAN

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Self Contained with Compressor, High Back with Integral Headrest, Cloth, Isolated, Mechanical Lumbar, 2 position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar

MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets

WINDSHIELD Heated, Single Piece

ARM REST, RIGHT, DRIVER SEAT

AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

: REFRIGERANT Hydrofluorocarbon HFC-134A

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB INTERIOR TRIM Premium

Includes

: "A" PILLAR COVER Molded Plastic

Description

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering
: CAB SOUND INSULATION Includes Dash and Engine Cover Insulators
: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights
: COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side
: DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors
: FLOOR COVERING Rubber, Black
: GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster
: HEADLINER Soft Padded Cloth
: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section
: STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors
: SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side

LOW WASHER FLUID INDICATOR

MODESTY PANEL Molded, Dark Gray Color

SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights

WHEELS, FRONT DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs

WHEELS, REAR DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims; With Steel Hubs

PAINT IDENTITY, FRONT WHEELS {Accuride} Disc Front Wheels; With Vendor Applied (PKWHT21) White Powder Coat Paint

PAINT IDENTITY, REAR WHEELS {Accuride} Disc Rear Wheels; With Vendor Applied (PKWHT21) White Powder Coat Paint

WHEEL SEALS, FRONT {Chicago Rawhide Nitrile} for Oil Lubricated Wheel Bearings

WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil

(2) TIRE, FRONT 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply

(4) TIRE, REAR 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply

Cab schematic 100TA

Location 1: 2303, Red (Std)

Chassis schematic N/A

Services Section:

WARRANTY TerraStar Standard 36 Month/36,000 Miles

SRV CONTRACT, EXT ENGINE {Navistar} To 60-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxForce 7 Engines

SRV CONTRACT, EXT MAJOR COMP To 60-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions

INTERNATIONAL®

Vehicle Specifications
2014 TERRASTAR SFA 4x4 (TR005)

June 10, 2014

Description

TRIANGLE REFLECTORS & FIRE EXTINGUISHER

SERVICE MANUAL CD

PARTS MANUAL PAPER

H.P. FAIRFIELD PLOW PACKAGE

SPARE TIRE AND WHEEL

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Net Sales Price:		\$109,665.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

MORRISON & SYLVESTER INC
1175 MINOT AVE
AUBURN ME 04210 -
(207)783-8548

**This proposal is not binding upon the seller
without Seller's Authorized Signature**

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

H. P. FAIRFIELD, LLC

QUOTE # 135138



"MUNICIPAL SPECIALISTS"

PHONE: 207-885-4895 FAX: 866-896-9559

<http://www.hpfairfield.com>

FROM:

Travis Baker

65 Pleasant Hill Road

Scarborough, ME 04074

QUOTED TO: Portland North Truck Center
110 Gray Rd.
Falmouth, ME 04105

DATE: January 29, 2014

CUSTOMER PHONE: 207-797-8080

ATTN: Richard Morrison

CUSTOMER FAX: 207-797-7079

COMMENTS: TERRA STAR - PLOW PACKAGE

QTY	DESCRIPTION	PRICE	EXT. PRICE
1	HPF CUSTOM HITCH DETACHABLE BY 4 PINS FOR SUMMER USE, HPF108 LOW MOUNT PATROL WING SYSTEM, HPF108 WING THAT IS 9 FEET BY 21" IN FRONT AND 27" IN REAR, FULL TRIP ARMS AND TRIP BLOCK, EVEREST VRL 10 FOOT REVERSIBLE PLOW, PAINTED AND INSTALLED HYDRAULIC SYSTEM TO INCLUDE PUMP, VALVES TO OPERATE PLOW, WING, BODY AND SANDER, 5/16" STAINLESS STEEL CABLES, QUADCO HANDLES, DUAL FLOW SANDER CONTROL, INSTALLED	\$49,500.00	\$49,500.00

MG10 SIDE DUMP COMBINATION BODY/ SANDER, CABSHIELD, HOIST, CENTRAL LUBE WITH GREASE, MUD FLAPS AND ANTISAILS, INSTALLED AND PAINTED

FISHER INTENSIFIER HEADLIGHTS, 2 LED STROBE LIGHTS IN FRONT OF CAB SHIELD, 2 STROBES IN REAR POST, WING AND SANDER LIGHT, INSTALLED

PINTLE PLATE AND REESE RECEIVER

SIGNED *Travis Baker*

ACKNOWLEDGED

QUOTE TOTAL

\$49,500.00

Serving New England for over 60 Years

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 TERRESTAR SFA 4X4 (TR005)" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

\$60,990.00

Name of Individual / Company: Morrisona Sylvester Inc.
Address: 1175 Minot Ave.
Auburn, ME
Printed Name of Person Signing Form: Michael Cloutier
Telephone: 207-783-8548
Email: mike@morrisontruck.net
Signature: _____
Date: 6/11/14

Purchase is contingent upon final budget approval at the June 2014 Town Meeting

Bids shall be placed in a sealed envelope marked "2015 TERRESTAR SFA 4X4 (TR005)" and received in the Office of the Camden Town Manager, P.O. Box 1207, 29 Elm Street, Camden, Maine 04843 on or before noon, Wednesday, June 11, 2014. (No FAX bids will be accepted.)

EXCEPTIONS

- 1) MICHELIN XDS 245/70R19.5 TIRES ARE NOT AVAILABLE ON TERRASTAR 4X4. NOT THE REQUIRED RPM PER NAVISTAR ENGINEERING
- 2) NO RIGHT SIDE AIR BAG IS AVAILABLE ON TERRASTAR
- 3) NO ACCESS HATCH IN HOOD IS AVAILABLE ON TERRASTAR
- 4) GVW IS 19,500LBS (LIMITED BY TRANSMISSION)

Prepared For:
TOWN OF CAMDEN
RICK SIEBEL
29 Elm St.
Camden, ME 04843-1910
(207)236 - 3353

Presented By:
MORRISON & SYLVESTER INC
Michael Cloutier
1175 MINOT AVE
AUBURN ME 04210 -
(207)783-8548

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2015 TERRASTAR SFA 4x4 (TR005)

MISSION:	Requested GVWR: 19500. Calc. GVWR: 19500 Calc. Start / Grade Ability: 37.83% / 2.63% @ 55 MPH
DIMENSION:	Wheelbase: 158.00, CA: 83.60, Axle to Frame: 49.00
ENGINE, DIESEL:	{MaxxForce 7} EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 1350_RDS} 5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT DRIVING:	{Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends Gear Ratio: 4.30
CAB:	Conventional
TIRE, FRONT:	(3) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
TIRE, REAR:	(4) 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 13,500-lb Capacity
PAINT:	Cab schematic 100TA Location 1: 0238, Red (Prem) Chassis schematic N/A

Description

Base Chassis, Model TERRASTAR SFA 4x4 with 158.00 Wheelbase, 83.60 CA, and 49.00 Axle to Frame.

FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 7.375" x 3.079" x .312" (187.45mm x 78.2mm x 8.0mm) With Transition to 9.125" x 3.079" x .312" (231.8mm x 78.2mm x 8.0mm); Includes 1.2" (30mm) Drop Under Cab; 335.2" (8512.2mm) Maximum OAL

Notes

: Refer to WB/AF COMBINATIONS Chart in the Compatibility Charts section of the CT-400 Data Book and the Price List for compatible AF dimension.

BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.118" Material Thickness, Dark Gray

Includes

: BUMPER, FRONT Powder Coated Gray (Argent) Color

CROSSMEMBER, REAR, AF (01)

WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)

AXLE, FRONT DRIVING {Dana Spicer 70-273} Single Reduction, 8,000-lb Capacity

SUSPENSION, FRONT, SPRING Taper Leaf, Shackle Type; 8,000-lb Capacity; With 7,000-lb Capacity Steel Spring & (1) Rubber Auxiliary Spring (1000-lb Capacity), With Shock Absorbers

BRAKE SYSTEM, HYDRAULIC {TRW 355} Split System, With Three Channel ABS

Includes

: BRAKE LININGS, FRONT HX-73, Non-Asbestos

: BRAKE LININGS, REAR HX-73, Non-Asbestos

BRAKE, PARKING {TRW} Drum-in-Hat Type; for Hydraulic Brake chassis; Activated by Lever in Cab; Mounted in Rear Wheels

Includes

: PARKING BRAKE CONTROL Lever, Floor Mounted, Located Right of Driver

BRAKES, FRONT, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons

BRAKES, REAR, HYDRAULIC DISC {TRW} 15.35" x 1.54" Rotors; Dual 2.36" (60mm) Diam. Pistons

STEERING COLUMN Tilting and Telescoping

STEERING WHEEL 2-Spoke, 18" Diam., Black

STEERING GEAR {Sheppard MD83} Power

EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Left Side Back of Cab; Includes Horizontal Tail Pipe

SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: BATTERY BOX Steel

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

: FUSES, ELECTRICAL SAE Blade-Type

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

Description

: HEADLIGHTS (2) Sealed Beam Halogen, 5" x 7" Rectangular, with Molded-In Argent Colored Bezels
: HORN, ELECTRIC Single
: JUMP START STUD Located on Positive Terminal of Outermost Battery
: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
: RUNNING LIGHT (2) Daytime, Included With Headlights
: STARTER SWITCH Electric, Key Operated
: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
: TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted
: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
: WIRING, CHASSIS Color Coded and Continuously Numbered

POWER SOURCE Cigar Type Receptacle without Plug and Cord

ALTERNATOR {Leece-Neville AVI160P2003} Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense

BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket

BATTERY SYSTEM {Deka/EAST PENN 9A31} Maintenance-Free (3) AGM 12-Volt 2775CCA Total

CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring

RADIO AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

STOP, TURN, TAIL & B/U LIGHTS (2) {Grote} Multi-Function, Sealed, SuperNova LED S/T/T Lights, One Includes LED License Plate Light, B/U Lights are Incandescent

JUMP START STUD Remote Mounted

POWER SOURCE, TERMINAL TYPE 2-Post

BATTERY DISCONNECT SWITCH {Joseph Pollak 51-315} Positive Type, Lever Operated, Cab Mounted

Includes

: BATTERY DISCONNECT SWITCH Mounted to Outside of Battery Box

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

SWITCH, BODY CIRCUITS, MID ; for Bodybuilder, With 6 Switches in Instrument Panel; One Power Module With 6 Channel, 20 Amp Max. Per Channel and 80 Amp Max Output, Switches Control the Power Module Through Multiplex Wiring, Mounted Battery Box Back of Cab

COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

Notes

Description

: Feature included with CAB INTERIOR TRIM, Premium

INDICATOR, LOW COOLANT LEVEL With Audible Alarm

STARTING MOTOR {Delco Remy 29MT} 12 Volt; Less Thermal Over-Crank Protection, With Integrated Magnetic Switch

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses

GRILLE Chrome, with Chrome Headlight Bezels

FRONT END Tilting, Fiberglass, With Three Piece Construction

Includes

: HOOD TILT ASSIST Includes Torsion Bar Spring System

PAINT SCHEMATIC, PT-1 Single Color, Design 100

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

PAINT CLASS Premium Color

CLUTCH Omit Item (Clutch & Control)

BLOCK HEATER, ENGINE {Phillips} 120 Volt/1000 Watt

Includes

: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door

ENGINE, DIESEL {MaxxForce 7} EPA 10, 300 HP @ 2600 RPM, 660 lb-ft Torque @ 1600 RPM, 2800 RPM Governed Speed, 300 Peak HP (Max)

Includes

: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)

: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce and Navistar Engines

: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel

: ENGINE OIL DRAIN PLUG Magnetic

: ENGINE SHUTDOWN Electric, Key Operated

: FUEL FILTER Engine Mounted

: FUEL HEATER Included with Fuel/Water Separator

: FUEL/WATER SEPARATOR Engine Mounted

: GLOW PLUG Automatic with Indicator Light

: GOVERNOR Electronic

: OIL FILTER, ENGINE Drop-In Cartridge Type

FAN DRIVE {Borg-Warner Series 790} Viscous Type, Screw On

Includes

: FAN Nylon

RADIATOR Aluminum; 2-Row, Cross Flow, Side-by-Side System, 697 SqIn Louvered, With 225 SqIn CAC, With In-Tank Oil Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2014; MaxxForce 7 Engines

Description

AIR CLEANER With Service Protection Element

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control

FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood

TRANSMISSION, AUTOMATIC {Allison 1350_RDS} 5th Generation Controls; Close Ratio, 6-Speed, with Overdrive; with PTO Provision, Includes Park Pawl, Less Retarder, with 19,500-lb GVW & 30,000-lb GCW Max. on/off hwy

TRANSFER CASE {Fabco TC-28} Two-Speed, Gear Drive, 3,600 lb-ft Capacity with Electric Shifting Controls, without PTO Provision

TRANSMISSION OIL Synthetic; 20 thru 28 Pints

SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary

AXLE, REAR, SINGLE {Dana Spicer S110} Single Reduction, With Offset Housing; 13,500-lb Capacity, 160 Wheel Ends . Gear Ratio: 4.30

Includes

: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle

SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 13,500-lb Capacity

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

FUEL TANK Top Draw; Rectangular, Steel; 40 U.S. Gal., 151 L Capacity, 15" Depth, Includes Fuel Filler Assembly and Vent Hosing, Mounted Between Frame Sidermembers and Behind Rear Axle

CAB Conventional

Includes

: ARM REST (2) Molded Plastic; One Each Door

: CLEARANCE/MARKER LIGHTS (5) Flush Mounted

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

: STEP (4) Two Steps Per Door

GAUGE CLUSTER English With English Electronic Speedometer

Includes

: GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter

Description

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout
: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster

GAUGE, OIL TEMP, ALLISON TRAN

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Self Contained with Compressor, High Back with Integral Headrest, Cloth, Isolated, Mechanical Lumbar, 2 position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar

MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4", With Bright Finish

MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatically Controlled, Power Both Sides, Clearance Lights LED, Bright Finish Heads & Brackets

SEAT, PASSENGER {National} Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage

WINDSHIELD Heated, Single Piece

ARM REST, RIGHT, DRIVER SEAT

AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

: REFRIGERANT Hydrofluorocarbon HFC-134A

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB INTERIOR TRIM Deluxe

Includes

: "A" PILLAR COVER Molded Plastic

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket

: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors

: FLOOR COVERING Rubber, Black

: HEADLINER Soft Padded Cloth

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

Description

: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door
: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console

MODESTY PANEL Painted

SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights

WINDSHIELD WIPER BLADES Snow Type

WHEEL, SPARE, DISC 19.5" Painted Steel, 10 Stud (225MM BC) Hub Piloted, Flange Nut, Metric Mount, 6.00DC Rim

WHEELS, FRONT DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims;
With Steel Hubs

WHEELS, REAR DISC; 19.5" Painted Steel, 10-Stud (225mm BC) Hub-Piloted, Flanged Nut, Metric Mount, 6.00 DC Rims;
With Steel Hubs

TIRE, SPARE Equal to Model Standard

Notes

: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.

(3) TIRE, FRONT 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply

(4) TIRE, REAR 225/70R19.5 G622 RSD (GOODYEAR) 641 rev/mile, load range G, 14 ply

Cab schematic 100TA

Location 1: 0238, Red (Prem)

Chassis schematic N/A

Services Section:

SRV CONTRACT, EXT ENGINE (Navistar) To 60-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics, and Injectors; for MaxxForce 7 Engines

SRV CONTRACT, EXT MAJOR COMP To 60-Month/100,000 Miles (160,000 km); Clutch, Transmission (Excluding Allison), Front and Rear Axles and Differentials (Except Brakes, Axle Shafts, Controls, Wheel Ends, Attachments), Frame Crossmembers, Frame Mounted Brackets, Suspensions

TRIANGLE REFLECTORS & FIRE EXTINGUISHER

SERVICE MANUAL CD

PARTS MANUAL (PAPER)

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Net Sales Price:		\$60,990.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

MORRISON & SYLVESTER INC
1175 MINOT AVE
AUBURN ME 04210 -
(207)783-8548

**This proposal is not binding upon the seller
without Seller's Authorized Signature**

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

2015 BACKHOE/LOADER

2015 BACKHOE/LOADER			
	410K		
Nortax	\$69,750	Did not meet specs	
	420F IT		
Milton Cat	\$106,500		
	Case 580 SN		
Beauregard Equipment, Inc.	\$82,540		
	Volvo BL70		
Chadwick Baross	\$84,600		

Bids were opened on Weds, June 20, 2014. Witnessed by Janice Esancy, Pat Finnigan, Rick Seibel, and representatives from all perspective bidders

TOWN OF CAMDEN
NOTICE AND INFORMATION TO BIDDERS

The Town of Camden will receive sealed bids for a “**2015 Backhoe/Loader**” in accordance with the NOTICE AND INFORMATION TO BIDDERS, BID SPECIFICATIONS and BID FORM. All of the bid documents are a material part of this NOTICE and are incorporated by reference into this NOTICE.

The Select Board shall make an award of the contract by considering, among other things, the lowest price for a proposal meeting the bid specifications. The Town of Camden reserves the right to waive any formalities; to reject any or all bids, or to accept any bid it considers to be in the best interest of the Town after considering quality, function, service, and initial cost, without obligation to consider price only. The Town's decision in all cases will be final. Tabulation will be mailed to vendors upon request.

If a bidder finds discrepancies in, or omissions from the Project documents, or is in doubt as to the meaning of the Project documents, the bidder shall, at once, notify the Town Manager, in writing; and upon receipt of such notification, the Town Manager shall send additional written clarification concerning the issues raised in the NOTICE to all prospective bidders.

Deviations from the Contract Documents: All deviations from the contract documents must be noted in detail by the bidder, in writing, at the time of submittal of the formal bid. Bidders are expressly informed that any material deviation from the contract documents may be a basis for rejection of the proposal by the Select Board at the time that the Board considers an award of the contract.

Prices must be firm for at least sixty (60) days.

At the time of the opening of proposals, each bidder shall be presumed to have read and be thoroughly familiar with the specifications in this BID NOTICE and all enclosures. The failure or omission of any bidder to receive or examine any form, instrument, or document shall in no way relieve any bidder from any obligation in respect to the proposal submitted. Any bidder to whom a contract is awarded shall be responsible for observing applicable standards for fair employment practices and work safety.

For purposes of this BID NOTICE and all Project documents, the term "bidder" shall mean any person, company or organization submitting a Proposal pursuant to this NOTICE and the term "bid" shall mean a Proposal submitted by a bidder.

Bids shall be placed in a sealed envelope marked "**2015 Backhoe/Loader** ” and received in the Office of the Camden Town Manager, P.O. Box 1207, 29 Elm Street, Camden, Maine 04843 on or before **noon, Friday, June 20, 2014. (No FAX bids will be accepted)** at which time all bids will be opened and read aloud. Bidders are invited to attend. **No proposal shall be accepted in the event that the envelope containing the proposal is not correctly marked as identified in the preceding sentence and sealed.** Prior to an award of the contract, no town official has been authorized to make any oral modifications or changes in the terms and specifications of this NOTICE.

Rick Seibel, Director
Public Works Department
PO Box 1207, 56 John Street
Camden, Maine 04843
(207) 236-7954

Patricia Finnigan
Camden Town Manager
PO Box 1207, 29 Elm Street
Camden, Maine 04843
(207) 236-3353

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 Backhoe/Loader" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

Name of Individual / Company:

Address:

Printed Name of Person Signing Form:

Telephone:

Email:

Signature:

Date:

**Bids shall be placed in a sealed envelope marked
"2015 Backhoe/Loader"
and received in the Office of the Camden Town Manager,
P.O. Box 1207, 29 Elm Street, Camden, Maine 04843
on or before noon, Friday, June 20, 2014. (No FAX bids will be accepted.)**

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

BACKHOE/LOADER					
14-ft class backhoe/loader		MEETS	EXCEEDS	NOT MET	ACTUAL
3 year extended full warranty	Full warranty 3 years				
With extendable Backhoe Option	14-15 ft.				
4 wheel drive	Yes				
Enclosed Cab – Operators Control Station w/std Features ROPS & FOPS Compliant	Heat, AC, Air Seat w/armrests				
ENGINE					
Fuel	Diesel				
Tier IV Compliant	Yes				
Net horsepower	Min. 92 HP				
Engine Cylinders	4				
Engine Displacement	Min. 205 cu in				
Stroke	4-cycle				
Fuel Injection	Yes				
Turbocharged	Yes				
Cooling	Liquid Cooled				
TRANSMISSION					
Power Shift Transmission optional:4F-4RPower Shuttle Synchronesh transmission manual gear shift, fully synchronized Best Heavy duty	Yes				
Forward	Min. 4				
Reverse	Min.3				
Top Speed-4 th /5 th Gear	Min. 22 MPH				
BACKHOE					
Dig Depth-Standard	14 ft.				
Extended Hoe with hydraulic bucket coupler plumbed to operate tilt bucket and jaw bucket, also plumed for future attachments.	With hydraulic bucket coupler Reversing pads on stabilizers (dirt & street with replaceable rubber pads)				
3 - Heavy Duty Geith Buckets to be provided; 1 in each width & type listed	24" with teeth, 48" tilt/twist ditching/grading bucket, 1 - 30" jaw type/multipurpose				
FRONT-END LOADER					
Front detachable bucket & forks to fit hydraulic coupler with bolt on cutting edge	Min. 93" Wide				
Bucket Capacity	Min. 1.25 cu yd				
Lift Capacity	Min. 7,000 lbs.				
Breakout Force	Min. 10,000 lbs.				
Dump Height	Min. 8 ft.				

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

Ride Control	Yes				
Hydraulic Coupler	Yes				
Forks for Coupler	Yes min. 48" long x 60" wide				
HYDRAULIC SYSTEM					
		MEETS	EXCEEDS	NOT MET	ACTUAL
Main Pump Type	Variable Displacement Axial Piston				
Backhoe Flow - gallons (US) / min (lt/min)	Min. 40				
System Pressure-backhoe	Min. 3,000				
System Pressure-loader	Min. 2,300				
Steering	Hydrostatic				
TIRES					
Front BKT Industrial Tractor TR	Min. 12x16.5 Max.				
Rear BKT Industrial Tractor TR 461	Min. 19.5Lx24 Max.				
Spare front tire & wheel BKT Industrial Tractor TR	1				
Spare Rear tire & wheel BKT Industrial Tractor TR 461	1				
WEIGHTS					
Operating Weight	17,500 lbs.				
BRAKES					
Type	Hydraulic Wet Disc				
FRONT AXLE					
Type	4 Wheel Drive				
ELECTRICAL					
Type	12 Volt System				
Amp	Min. 120 amp				
Battery-CCA	Min. 850				
Cold Weather Start Package	Duel				
Block & Grid Heater	Yes				
ENCLOSED CAB					
Deluxe Cab	Yes				
Air Condition/Heat	Yes				
LED Flashing beacon Mounted on Roof of Cab	Yes				
Pattern Changer for Hoe	Yes				
Pilot Controls for Hoe & Loader	Yes				
Air Ride Seat	Yes				
AM/FM Stereo weather band	Yes				
All Work Lights Available LED	Min. 8 Preferred 10				

Town of Camden
Department of Public Works
John Deere 410G Backhoe Trade Info

The Camden Public Works Department will be trading a 2004 John Deere 410G backhoe as part of the bid on a new 2015 backhoe. This machine is located at the Public Works Facility at 56 John Street; arrangements can be made to see this backhoe by contacting Rick Seibel the Public Works Director at 236-7954. The following is basic information on the trade in backhoe.

John Deere 410G:

- Year - 2004
- Hours -- 5,700
- 4x4 - Yes
- Air Conditioned - Yes
- Joy Stick controls -- Yes
- Extend a hoe -- Yes
- Wain Roy Jaw Bucket -- Yes
- Wain Roy twist a wrist -- Yes
- Wain Roy ditching/grading bucket -- Yes
- 12 inch trenching bucket - Yes
- Rear tires - BKT Industrial Tractor TR 461

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 Backhoe/Loader" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

\$ 69,750.00

Name of Individual / Company: NORTRAX NE
Address: 396 County Rd
WESTBROOK ME 04092
Printed Name of Person Signing Form: John Paradis
Telephone: 207 653 7996
Email: John.Paradis@NORTRAX.com
Signature: Paradis
Date: 6-12-14

Bids shall be placed in a sealed envelope marked
"2015 Backhoe/Loader"
and received in the Office of the Camden Town Manager,
P.O. Box 1207, 29 Elm Street, Camden, Maine 04843
on or before noon, Friday, June 20, 2014. (No FAX bids will be accepted.)

Town of Camden
Department of Public Works
John Deere 410G Backhoe Trade Info

The Camden Public Works Department will be trading a 2004 John Deere 410G backhoe as part of the bid on a new 2015 backhoe. This machine is located at the Public Works Facility at 56 John Street; arrangements can be made to see this backhoe by contacting Rick Seibel the Public Works Director at 236-7954. The following is basic information on the trade in backhoe.

John Deere 410G:


- Year - 2004
- Hours – 5,700
- 4x4 - Yes
- Air Conditioned - Yes
- Joy Stick controls – Yes
- Extend a hoe – Yes
- Wain Roy Jaw Bucket – Yes
- Wain Roy twist a wrist – Yes
- Wain Roy ditching/grading bucket – Yes
- 12 inch trenching bucket - Yes
- Rear tires - BKT Industrial Tractor TR 461

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

BACKHOE/LOADER					
14-ft class backhoe/loader		MEETS	EXCEEDS	NOT MET	ACTUAL
3 year extended full warranty	Full warranty 3 years	✓			
With extendable Backhoe Option	14-15 ft.	✓			
4 wheel drive	Yes	✓			
Enclosed Cab – Operators Control Station w/std Features ROPS & FOPS Compliant	Heat, AC, Air Seat w/armrests	✓			
ENGINE					
Fuel	Diesel	✓			
Tier IV Compliant	Yes	* ✓			
Net horsepower	Min. 92 HP		✓ 96		
Engine Cylinders	4	✓			
Engine Displacement	Min. 205 cu in		✓ 276		
Stroke	4-cycle	✓			
Fuel Injection	Yes	✓			
Turbocharged	Yes	✓			
Cooling	Liquid Cooled	✓			
TRANSMISSION					
Power Shift Transmission optional:4F-4R Power Shuttle Synchronesh transmission manual gear shift, fully synchronized Best Heavy duty	Yes				
Forward	Min. 4		✓ 5+3		
Reverse	Min.3		✓		
Top Speed-4 th /5 th Gear	Min. 22 MPH		✓ 25mph		
BACKHOE					
Dig Depth-Standard	14 ft.		✓ 14'11"		
Extended Hoe with hydraulic bucket coupler plumbed to operate tilt bucket and jaw bucket, also plumed for future attachments.	With hydraulic bucket coupler Reversing pads on stabilizers (dirt & street with replaceable rubber pads)				
3 - Heavy Duty Geith Buckets to be provided; 1 in each width & type listed	24" with teeth, 48" tilt/twist ditching/grading bucket, 1 - 30" jaw type/multipurpose	✓ SEE NOTES			
FRONT-END LOADER					
Front detachable bucket & forks to fit hydraulic coupler with bolt on cutting edge	Min. 93" Wide	✓			
Bucket Capacity	Min. 1.25 cu yd	✓			
Lift Capacity	Min. 7,000 lbs.		✓ 7353		
Breakout Force	Min. 10,000 lbs.		✓ 11,051		
Dump Height	Min. 8 ft.		✓ 8'10"		

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

Ride Control	Yes	✓			
Hydraulic Coupler	Yes	✓	FRONT		
Forks for Coupler	Yes min. 48" long x 60" wide	✓			
HYDRAULIC SYSTEM					
		MEETS	EXCEEDS	NOT MET	ACTUAL
Main Pump Type	Variable Displacement Axial Piston				open center
Backhoe Flow - gallons (US) / min (lt/min)	Min. 40	✓			
System Pressure-backhoe	Min. 3,000	✓			
System Pressure-loader	Min. 2,300	✓			
Steering	Hydrostatic	✓			
TIRES					
Front BKT Industrial Tractor TR	Min. 12x16.5 Max.			500/70R 24 11530	Equal
Rear BKT Industrial Tractor TR 461	Min. 19.5Lx24 Max.			"	Equal
Spare front tire & wheel BKT Industrial Tractor TR	1			340/80R 18 11530	Equal
Spare Rear tire & wheel BKT Industrial Tractor TR 461	1				Equal
WEIGHTS					
Operating Weight	17,500 lbs.	✓			
BRAKES					
Type	Hydraulic Wet Disc	✓			
FRONT AXLE					
Type	4 Wheel Drive	✓	✓	LTD slip	
ELECTRICAL					
Type	12 Volt System	✓			
Amp	Min. 120 amp				
Battery-CCA	Min. 850	✓			
Cold Weather Start Package	Duel	✓			
Block & Grid Heater	Yes	✓			
ENCLOSED CAB					
Deluxe Cab	Yes	✓			
Air Condition/Heat	Yes	✓			
LED Flashing beacon Mounted on Roof of Cab	Yes	✓			
Pattern Changer for Hoe	Yes	✓			
Pilot Controls for Hoe & Loader	Yes	✓			
Air Ride Seat	Yes	✓			
AM/FM Stereo weather band	Yes	✓			
All Work Lights Available LED	Min. 8 Preferred 10	✓			
		✓	Halogen		



500/70R24 IT530 Goodyear
Rear w/ 340/80R18 IT530
Goodyear Front



picture of tilt Bucket

K-SERIES BACKHOES

4.34–5.44 m (14 ft. 3 in.–17 ft. 10 in.) digging depth



JOHN DEERE



TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 Backhoe/Loader" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

\$ 106,500.00

Name of Individual / Company: Milton Cat

Address: 79 Robertson Blvd
Brewer, ME 04412

Printed Name of Person Signing Form: Allen Vigor

Telephone: 207-991-4779

Email: allen_vigor@miltoncat.com

Signature: Allen Vigor

Date: 6/20/2014

Bids shall be placed in a sealed envelope marked
"2015 Backhoe/Loader"
and received in the Office of the Camden Town Manager,
P.O. Box 1207, 29 Elm Street, Camden, Maine 04843
on or before noon, Friday, June 20, 2014. (No FAX bids will be accepted.)

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

BACKHOE/LOADER					
14-ft class backhoe/loader		MEETS	EXCEEDS	NOT MET	ACTUAL
3 year extended full warranty	Full warranty 3 years	X			3 year
With extendable Backhoe Option	14-15 ft.		X		17'11"
4 wheel drive	Yes	X			
Enclosed Cab – Operators Control Station w/std Features ROPS & FOPS Compliant	Heat, AC, Air Seat w/armrests	X			Deluxe Cab Option
ENGINE					
Fuel	Diesel	X			
Tier IV Compliant	Yes	X			
Net horsepower	Min. 92 HP		X		93 HP
Engine Cylinders	4	X			4
Engine Displacement	Min. 205 cu in		X		268 cu in
Stroke	4-cycle	X			
Fuel Injection	Yes	X			
Turbocharged	Yes	X			
Cooling	Liquid Cooled	X			
TRANSMISSION					
Power Shift Transmission optional:4F-4R Power Shuttle Synchromesh transmission manual gear shift, fully synchronized Best Heavy duty	Yes		X		Autoshift Trans.
Forward	Min. 4		X		5 FWD
Reverse	Min.3	X			3 REV
Top Speed-4 th /5 th Gear	Min. 22 MPH		X		25 MPH
BACKHOE					
Dig Depth-Standard	14 ft.		X		14'5"
Extended Hoe with hydraulic bucket coupler plumbed to operate tilt bucket and jaw bucket, also plumed for future attachments.	With hydraulic bucket coupler Reversing pads on stabilizers (dirt & street with replaceable rubber pads)	X			
3 - Heavy Duty Geith Buckets to be provided; 1 in each width & type listed	24" with teeth, 48" tilt/twist ditching/grading bucket, 1 - 30" jaw type/multipurpose			X	Wain Roy brand tilt and jaw
FRONT-END LOADER					
Front detachable bucket & forks to fit hydraulic coupler with bolt on cutting edge	Min. 93" Wide			X	92.5"
Bucket Capacity	Min. 1.25 cu yd		X		1.31 cyd
Lift Capacity	Min. 7,000 lbs.		X		8,173 lbs
Breakout Force	Min. 10,000 lbs.		X		10,999 lbs
Dump Height	Min. 8 ft.		X		8'11"

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

Ride Control	Yes	X			
Hydraulic Coupler	Yes	X			
Forks for Coupler	Yes min. 48" long x 60" wide	X			48" tires 60" carriage
HYDRAULIC SYSTEM					
		MEETS	EXCEEDS	NOT MET	ACTUAL
Main Pump Type	Variable Displacement Axial Piston	X			
Backhoe Flow - gallons (US) / min (lt/min)	Min. 40		X		43 gpm
System Pressure-backhoe	Min. 3,000		X		3600 psi
System Pressure-loader	Min. 2,300		X		3600 psi
Steering	Hydrostatic	X			
TIRES					
Front BKT Industrial Tractor TR	Min. 12x16.5 Max.		X		12.5/80-18
Rear BKT Industrial Tractor TR 461	Min. 19.5Lx24 Max.		X		21L-24
Spare front tire & wheel BKT Industrial Tractor TR	1	X			
Spare Rear tire & wheel BKT Industrial Tractor TR 461	1	X			
WEIGHTS					
Operating Weight	17,500 lbs.		X		18,683
BRAKES					
Type	Hydraulic Wet Disc	X			
FRONT AXLE					
Type	4 Wheel Drive	X			
ELECTRICAL					
Type	12 Volt System	X			12 volt
Amp	Min. 120 amp	X			120 amp
Battery-CCA	Min. 850		X		880 cca
Cold Weather Start Package	Duel	X			
Block & Grid Heater	Yes	X			
ENCLOSED CAB					
Deluxe Cab	Yes	X			
Air Condition/Heat	Yes	X			
LED Flashing beacon Mounted on Roof of Cab	Yes	X			
Pattern Changer for Hoe	Yes	X			
Pilot Controls for Hoe & Loader	Yes	X			
Air Ride Seat	Yes	X			
AM/FM Stereo weather band	Yes	X			
All Work Lights Available LED	Min. 8 Preferred 10	X			8 work lights

Town of Camden
Department of Public Works
John Deere 410G Backhoe Trade Info

The Camden Public Works Department will be trading a 2004 John Deere 410G backhoe as part of the bid on a new 2015 backhoe. This machine is located at the Public Works Facility at 56 John Street; arrangements can be made to see this backhoe by contacting Rick Seibel the Public Works Director at 236-7954. The following is basic information on the trade in backhoe.

John Deere 410G:

- Year - 2004
- Hours – 5,700
- 4x4 - Yes
- Air Conditioned - Yes
- Joy Stick controls – Yes
- Extend a hoe – Yes
- Wain Roy Jaw Bucket – Yes
- Wain Roy twist a wrist – Yes
- Wain Roy ditching/grading bucket – Yes
- 12 inch trenching bucket - Yes
- Rear tires - BKT Industrial Tractor TR 461

Standard Equipment:

BOOMS, STICKS AND LINKAGES

- * 15.3" Center pivot excavator style backhoe, with extendable stick, provides 3'8" additional reach
- * Pilot operated joystick hydraulic controls with pattern changer valve
- * Pilot operated stabilizer controls
- * Boom transport lock
- * Swing transport lock
- * Street pads stabilizer shoes
- * Anti-drift hydraulics (Boom, Stick and E-Stick)
- * Cat Cushion Swing™ system
- * Bucket level indicator
- * Lift cylinder brace
- * Return-to-dig (auto bucket positoner)
- * Self-leveling loader with single lever control
- * Transmission neutralizer switch
- * IT style loader

POWERTRAIN

- * Cat C4.4, 74.5KW (93 Net HP)
Direct Injection Turbo Charged Engine, with ACERT technology.
US EPA Tier 4i Emissions Complaint
- * Water separator with service indicator
- * Thermal starting aid system
- * A dry-type axial seal air cleaner with integral precleaner, automatic dust ejection system & filter condition indicator
- * Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- * Differential lock
- * Drive-line parking brake
- * High Ambient Cooling Package
- * Torque converter
- * Spin-on fuel, engine oil & transmission oil filters
- * Outboard planetary rear axles
- * Open Circuit Breather
- * Diesel Particulate Filter
- * Four wheel drive
- * Autoshift transmission

HYDRAULICS

- * Load sensing, variable flow system with 43 gpm axial piston pump
- * 6 micron hydraulic filter
- * Caterpillar XT-3 hose
- * Hydraulic oil cooler
- * Pilot control shutoff switch
- * PPPC, Flow-sharing hydraulic valves
- * Hydraulic suction strainer
- * 6 function hydraulics

ELECTRICAL

- * 12 volt electrical start
- * 120 ampere alternator
- * Horn and Backup Alarm
- * Hazard flashers/turn signals
- * Halogen head lights (4)
- * Halogen rear flood lights (4)
- * Stop and tail lights
- * Audible system fault alarm
- * Key start/stop system
- * 880 CCA maintenance free battery
- * Battery disconnect switch
- * External/internal power receptacles (12v)
- * Diagnostic ports for engine and machine
Electronic Control Modules
- * Cold weather package, 120V HRC-provides additional battery and engine block heater, mounting for ether bottle

OTHER ENVIRONMENT

- * Lighted gauge group
- * Interior rearview mirror
- * Rear fenders
- * 2-inch retractable seat belt
- * Steering knob
- * Hand and foot throttle
- * Automatic Engine Speed Control
- * One Touch Low Idle
- * Floor mat and Coat Hook
- * Two lockable storage areas
- * Drink and lunch box holders
- * Deluxe Cab. Includes AC/heater/pressurizer front & rear wiper/washer, left & right side door with locks, tilt steering column, deluxe air suspension fabric seat, radio ready headliner, two internal and one external 12V power sockets, auto-up stabilizers, system indicators for hydraulic filter service & hydraulic temperature warning

OTHER STANDARD EQUIPMENT

- * Hydrostatic power steering
- * Standard Storage Box
- * Transport tie-downs
- * Ground line fill fuel tank with 44 gallon capacity
- * Rubber impact strips on radiator guards
- * Bumper
- * CD-ROM Parts Manual
- * Backhoe Safety Manual
- * Operations and Maintenance Manual
- * Lockable hood
- * Tire Valve Stem Protection
- * Long Life Coolant -30C (-20F)
- * Padlocks (2 on ST, 3 on IT)
- * Tires:
Front: Firestone 12.5/80-18 12 PR, I-3 Super Traction
Rear: Firestone 21L-24 16 PR R4 ATU All Traction Utility
- * Counterweight – 1070 lbs.
- * Stabilizes with flip over pads
- * Ride control
- * Bucket-general purpose-1.31 cyd. with cutting edge
- * Bucket-24" heavy duty rock, 7 cft.

420F/420F IT

Backhoe Loaders



Engine

Engine Model	Cat® C4.4 ACERT™	
Rated Net Power – SAE J1349	69 kW	93 hp
Rated Net Power – ISO 9249	70 kW	94 hp

Weights

Operating Weight – Nominal	6983 kg	15,395 lb
Operating Weight – Maximum	11 000 kg	24,251 lb

Backhoe

Dig Depth – Standard	4360 mm	14'4"
Dig Depth – E-Stick Extended	5441 mm	17'11"

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 Backhoe/Loader" and hereby proposes to provide the work as described in the specifications for the bid price shown: Trade Price .

BID PRICE

2015 - CASE 580SN
Backhoe/Loader

\$82,540.⁰⁰

Name of Individual / Company:

Beauregard Equipment Inc

Address:

59 CONTRACTOR DRIVE

Heron, Maine 04401

Printed Name of Person Signing Form:

Bob Pollard

Telephone:

207-848-2050 / 299-4809

Email:

bo-po@msn.com

Signature:

Bob Pollard

Date:

JUNE 20, 2014

* see page one of specs

Bids shall be placed in a sealed envelope marked
"2015 Backhoe/Loader"
and received in the Office of the Camden Town Manager,
P.O. Box 1207, 29 Elm Street, Camden, Maine 04843
on or before noon, Friday, June 20, 2014. (No FAX bids will be accepted.)

CASE "2015" 580 SN Backhoe/Loader

BACKHOE/LOADER					
14-ft class backhoe/loader		MEETS	EXCEEDS	NOT MET	ACTUAL
3 year extended full warranty	Full warranty 3 years	✓			
With extendable Backhoe Option	14-15 ft. - Retracted 17'11" ft - Extend	✓	✓		14'6"
4 wheel drive	Yes	✓			
Enclosed Cab – Operators Control Station w/std Features ROPS & FOPS Compliant	Heat, AC, Air Seat w/armrests	✓ ✓ ✓			
ENGINE					
Fuel	Diesel	✓			
Tier IV Compliant	Yes	✓			
Net horsepower	Min. 92 HP	✓	✓		95 Net HP
Engine Cylinders	4	✓			
Engine Displacement	Min. 205 cu in	✓	✓		207 cu in
Stroke	4-cycle	✓			
Fuel Injection	Yes	✓			
Turbocharged	Yes	✓			
Cooling	Liquid Cooled	✓			
TRANSMISSION					
Power Shift Transmission optional: 4F-4R Power Shuttle	Yes	✓			
Synchromesh transmission manual gear shift, fully synchronized Best Heavy duty	option - deduct \$1100.00	✓			*
Forward	Min. 4	✓			
Reverse	Min. 3	✓			
Top Speed-4 th /5 th Gear	Min. 22 MPH	✓	✓		23.6 MPH
BACKHOE					
Dig Depth-Standard	14 ft.	✓	✓		14'4"
Extended Hoe with hydraulic bucket coupler plumbed to operate tilt bucket and jaw bucket, also plumed for future attachments.	With hydraulic bucket coupler Reversing pads on stabilizers (dirt & street with replaceable rubber pads)	✓ ✓ ✓ ✓			
3 - Heavy Duty Geith Buckets to be provided; 1 in each width & type listed	24" with teeth, 48" tilt/twist ditching/grading bucket, 1 - 30" jaw type/multipurpose	✓			Wain Roy Jaw Bucket
FRONT-END LOADER					
Front detachable bucket & forks to fit hydraulic coupler with bolt on cutting edge	Min. 93" Wide	✓ ✓ ✓			
Bucket Capacity	Min. 1.25 cu yd	✓			
Lift Capacity	Min. 7,000 lbs.	✓	✓		7044 lbs
Breakout Force	Min. 10,000 lbs.	✓	✓		10947 lbs
Dump Height	Min. 8 ft.	✓	✓		8' 10"

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

Ride Control	Yes	✓			
Hydraulic Coupler	Yes	✓			
Forks for Coupler	Yes min. 48" long x 60" wide	✓			
HYDRAULIC SYSTEM					
		MEETS	EXCEEDS	NOT MET	ACTUAL
Main Pump Type	Variable Displacement Axial Piston	✓			
Backhoe Flow - gallons (US) / min (lt/min)	Min. 40	✓	✓		41 GPM
System Pressure-backhoe	Min. 3,000	✓	✓		3100 PSI
System Pressure-loader	Min. 2,300	✓	✓		2340 PSI
Steering	Hydrostatic	✓			
TIRES					
Front BKT Industrial Tractor TR	Min. 12x16.5 Max.	✓			
Rear BKT Industrial Tractor TR 461	Min. 19.5Lx24 Max.	✓			
Spare front tire & wheel BKT Industrial Tractor TR	1	✓			
Spare Rear tire & wheel BKT Industrial Tractor TR 461	1	✓			
WEIGHTS					
Operating Weight	17,500 lbs.	✓			
BRAKES					
Type	Hydraulic Wet Disc	✓			
FRONT AXLE					
Type	4 Wheel Drive	✓			
ELECTRICAL					
Type	12 Volt System	✓			
Amp	Min. 120 amp	✓			
Battery-CCA	Min. 850	✓			Duel
Cold Weather Start Package	Duel	✓			
Block & Grid Heater	Yes	✓			
ENCLOSED CAB					
Deluxe Cab	Yes	✓			
Air Condition/Heat	Yes	✓			
LED Flashing beacon Mounted on Roof of Cab	Yes	✓			
Pattern Changer for Hoe	Yes	✓			
Pilot Controls for Hoe & Loader	Yes	✓			
Air Ride Seat	Yes	✓			
AM/FM Stereo weather band	Yes	✓			
All Work Lights Available LED	Min. 8 Preferred 10	✓	✓		10



PROCONTROL MEANS PRECISION

When swinging the backhoe from side to side, our exclusive ProControl swing dampening system stops the boom exactly when and where you want. No wiggle. No rebound. No waiting for it to set. Just precise, responsive control.

TOWN OF CAMDEN

BID FORM

The undersigned bidder acknowledges receipt of the NOTICE AND INFORMATION TO BIDDERS, BID FORM, AND BID SPECIFICATIONS entitled "2015 Backhoe/Loader" and hereby proposes to provide the work as described in the specifications for the bid price shown:

BID PRICE

\$84,600.00

Name of Individual / Company: CHADWICK BAROSS

Address: 188 PERRY RD
BANGOR ME 04401

Printed Name of Person Signing Form: STEVE FERRIS

Telephone: 207-942-4838

Email: ferris@chadwick-baross.com

Signature: 

Date: 6/19/2014

**Bids shall be placed in a sealed envelope marked
"2015 Backhoe/Loader"
and received in the Office of the Camden Town Manager,
P.O. Box 1207, 29 Elm Street, Camden, Maine 04843
on or before noon, Friday, June 20, 2014. (No FAX bids will be accepted.)**

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

BACKHOE/LOADER					
14-ft class backhoe/loader		MEETS	EXCEEDS	NOT MET	ACTUAL
3 year extended full warranty	Full warranty 3 years	X			
With extendable Backhoe Option	14-15 ft.		X		
4 wheel drive	Yes	X			
Enclosed Cab – Operators Control Station w/std Features ROPS & FOPS Compliant	Heat, AC, Air Seat w/armrests	X			
ENGINE					
Fuel	Diesel	X			
Tier IV Compliant	Yes				
Net horsepower	Min. 92 HP	X			
Engine Cylinders	4	X			
Engine Displacement	Min. 205 cu in				
Stroke	4-cycle				
Fuel Injection	Yes	X			
Turbocharged	Yes	X			
Cooling	Liquid Cooled	X			
TRANSMISSION					
Power Shift Transmission optional:4F-4R Power Shuttle Synchromesh transmission manual gear shift, fully synchronized Best Heavy duty	Yes	X			
Forward	Min. 4	X			
Reverse	Min.3		X		4
Top Speed-4 th /5 th Gear	Min. 22 MPH			X	20.7
BACKHOE					
Dig Depth-Standard	14 ft.				
Extended Hoe with hydraulic bucket coupler plumbed to operate tilt bucket and jaw bucket, also plumed for future attachments.	With hydraulic bucket coupler Reversing pads on stabilizers (dirt & street with replaceable rubber pads)	X			
3 - Heavy Duty Geith Buckets to be provided; 1 in each width & type listed	24" with teeth, 48" tilt/twist ditching/grading bucket, 1 - 30" jaw type/multipurpose	X			
FRONT-END LOADER					
Front detachable bucket & forks to fit hydraulic coupler with bolt on cutting edge	Min. 93" Wide	X			
Bucket Capacity	Min. 1.25 cu yd		X		1.3 cu yd
Lift Capacity	Min. 7,000 lbs.				
Breakout Force	Min. 10,000 lbs.	X			
Dump Height	Min. 8 ft.	X			

Town of Camden
 Bid Specs for 2015 Backhoe/Loader

Ride Control	Yes	X			
Hydraulic Coupler	Yes	X			
Forks for Coupler	Yes min. 48" long x 60" wide	X			
HYDRAULIC SYSTEM					
		MEETS	EXCEEDS	NOT MET	ACTUAL
Main Pump Type	Variable Displacement Axial Piston	X			
Backhoe Flow - gallons (US) / min (lt/min)	Min. 40	X			
System Pressure-backhoe	Min. 3,000	X			
System Pressure-loader	Min. 2,300	X			
Steering	Hydrostatic	X			
TIRES					
Front BKT Industrial Tractor TR	Min. 12x16.5 Max.	X			
Rear BKT Industrial Tractor TR 461	Min. 19.5Lx24 Max.	X			
Spare front tire & wheel BKT Industrial Tractor TR	1	X			
Spare Rear tire & wheel BKT Industrial Tractor TR 461	1	X			
WEIGHTS					
Operating Weight	17,500 lbs.	X			
BRAKES					
Type	Hydraulic Wet Disc	X			
FRONT AXLE					
Type	4 Wheel Drive	X			
ELECTRICAL					
Type	12 Volt System	X			
Amp	Min. 120 amp	X			
Battery-CCA	Min. 850				
Cold Weather Start Package	Duel	X			
Block & Grid Heater	Yes	X			
ENCLOSED CAB					
Deluxe Cab	Yes	X			
Air Condition/Heat	Yes	X			
LED Flashing beacon Mounted on Roof of Cab	Yes	X			
Pattern Changer for Hoe	Yes	X			
Pilot Controls for Hoe & Loader	Yes	X			
Air Ride Seat	Yes	X			
AM/FM Stereo weather band	Yes	X			
All Work Lights Available LED	Min. 8 Preferred 10	X			

Spacious cab

Redesigned, roomier cab provides more space overhead and around the seat, with ample legroom and personal storage space.



Visibility

Large glass areas on all sides provide excellent, all-around visibility for more safety and faster work.

Serviceability

Easy, ground-level servicing with fewer greasing points enables fast daily maintenance.



Loader performance

High breakout forces delivered through a very durable loader linkage and powerful hydraulics.



Robust reliability

High-strength construction throughout the entire machine – from the heavy steel frame to the durable, high quality components.

Large tool box

Stylish resin
Stylish, modern low owning resale value.



Knox County Commission

Knox County Courthouse

62 Union Street

Rockland, Maine 04841

Date: April 1, 2014

To: CAMDEN Selectmen, Assessors, or Council members

From: Knox County Administrator Andrew L. Hart



RE: County Taxes and Communications Fees


Pursuant to 30-A MRSA § 453, each county may establish a communications center and after entering into an agreement with a municipality to provide specific communications functions, receive a payment for these services. The communications funding formula is based on the year 2010 population figures. Fees for communications services are due and payable to the County no later than September 1, 2014. Please keep in mind that this is a fee for service, therefore, late payment charges will begin after September 1, 2014.

Pursuant to 30-A MRSA § 706 the County Commission shall apportion taxes on the municipalities, and the County may collect delinquent taxes and charge interest at the rate of 7% simple annual interest (36 MRSA 892-A). The county tax is due September 1, 2014, but late payment charges will begin on November 1, 2014 as defined by statute.

The rate of interest is established by the State Tax Assessor and the annual rate of interest for 2014 is 7% simple annual interest.

Enclosed you will find the County Administrator's Warrant, Assessors Return, Treasurer's Tax Statement, and an Invoice for Communications Services. There is also a copy of the Tax Assessment and Communications Fees spreadsheet for your information.

Should you have any questions about the tax assessment or communications fees, please do not hesitate to contact this office at 594-0420 or email me at ahart@knoxcountymaine.gov.



COUNTY ADMINISTRATOR'S WARRANT

STATE OF MAINE – KNOX, SS.

To the Selectmen, Assessors, or Council members of the municipality of **CAMDEN** in the County of Knox.

WHEREAS, the Knox County Commission, in their last session, resolved that the sum of **\$6,635,343** should be raised on the city, towns, plantation and unorganized places within said County, according to the directions of the law, for defraying the usual necessary charges of the County for the year ensuing; And Whereas, the Court of County Commission, held at Rockland, in and for the County of Knox, by adjournment on the **1st day of April, 2014**, ordered that the Administrator of the County Commission, in said County should send out warrants for assessing the city, town, plantation and unorganized places proportions thereof and paying the same;


And Whereas, upon a due apportionment of the said sum on the city, town, plantation and unorganized places in said County, your municipality's valuation being **\$1,162,150,000** the tax rate being **0.0009214219**, your municipality's proportion is found to be **\$1,070,830.45**.

YOU ARE THEREFORE HEREBY REQUIRED, in the name of the State of Maine, to access the said sum last mentioned, upon the inhabitants of said municipality, agreeable to the laws of the State, and cause the same in like manner to be collected and paid to **Marlene J. Libby**, treasurer of said municipality, to be paid by the same to **Kathy C. Robinson**, treasurer of said Knox County, or to the successor in said office, on or before the first day of **September 2014**.

HEREOF FAIL NOT, and make due the assessors' return where the names of the person or persons to whom your list or lists shall be committed, to the said county treasurer, as soon as may be after you shall have committed the same.

Dated at Rockland, the 1st day of April, 2014.

By order of the County Commission.



Andrew L. Hart, County Administrator

TO BE RETAINED BY MUNICIPALITY.

ASSESSORS RETURN

PURSUANT TO A WARRANT to us directed, from **Andrew L. Hart**, Administrator of the Court of County Commission for the County of Knox, dated the 1st day of April, 2014, we have assessed the estates of the inhabitants, and the estates of the non-resident proprietors of the municipality of **CAMDEN** in said County, the sum of **\$1,070,830.45** and have committed lists thereof to **Theresa A. Butler**, tax collector of said municipality, with a warrant in due form of law for collecting and paying the same to **Marlene J. Libby**, treasurer of said municipality or the successor in office, to be paid by the same to **Kathy C. Robinson**, treasurer of the County of Knox, or the successor in said office, on or before the first day of September 2014.

IN WITNESS WHEREOF, we have hereunto set our hands at Camden, the 6th day of May, 2014.

ASSESSORS OF CAMDEN

The Assessors are requested to complete the above return, under their hands, and forward the same to the Knox County Treasurer, 62 Union Street, Rockland, Maine 04841, immediately after the assessment is made.

TREASURER'S TAX STATEMENT

STATE OF MAINE – KNOX, SS.

To: **Marlene J. Libby**, Treasurer of the Municipality of **CAMDEN** within the County of Knox.

GREETING:

In the name of the State of Maine you are hereby required to transmit and pay your said municipality's proportion of the County Tax for the year 2014, being **\$1,070,830.45** to the County Treasurer on or before the first day of **September** of 2014. Failure to pay said taxes before the first day of **November** of 2014 will cause said taxes to be delinquent and interest will be charged at the rate of seven percent (7%) simple annual interest.

Given under my hand at Rockland in said County this 1st day of April, 2014.



Kathy C. Robinson, Knox County Treasurer


COMMUNICATIONS INVOICE FOR SERVICES

STATE OF MAINE – KNOX, SS.

TO: **Marlene J. Libby**, Treasurer of the Municipality of **CAMDEN** within the County of Knox.

You are hereby required to transmit and pay your said municipality's proportion of the Communications Fees for the year 2014, being **\$125,600** to the County Treasurer on or before the first day of **September** of 2014. Failure to pay said fees by the first day of **September** of 2014 will cause said fees to be delinquent and interest will be charged at the rate of seven percent (7%) simple annual interest.

Given under my hand at Rockland in said County this 1st day of April, 2014.



Kathy C. Robinson, Knox County Treasurer

**County Taxes & Dispatch Fees
2014 Budget**

MUNICIPALITY	2014 <i>Certified State Valuations 1/17/14</i> STATE VALUATION	1.5% Overlay		Combined Tax & Fees
		0.0009214219 COUNTY TAX	Dispatch/PSAP Fees	
Appleton	\$123,500,000	\$113,795.60	\$34,080	\$147,876
Camden	\$1,162,150,000	\$1,070,830.45	\$125,600	\$1,196,431
Cushing	\$282,450,000	\$260,255.61	\$39,726	\$299,981
Friendship	\$248,050,000	\$228,558.70	\$29,833	\$258,392
Hope	\$180,050,000	\$165,902.01	\$39,778	\$205,680
Isle Au Haut	\$85,100,000	\$78,413.00	\$1,890	\$80,303
Matinicus Isle Plantation	\$36,050,000	\$33,217.26	\$1,916	\$35,134
North Haven	\$468,300,000	\$431,501.87	\$9,193	\$440,695
Owls Head	\$340,000,000	\$313,283.44	\$40,917	\$354,201
Rockland	\$751,700,000	\$692,632.83	\$188,970	\$881,603
Rockport	\$943,150,000	\$869,039.05	\$86,237	\$955,276
St. George	\$808,100,000	\$744,601.03	\$67,099	\$811,700
South Thomaston	\$247,500,000	\$228,051.92	\$40,347	\$268,399
Thomaston	\$327,700,000	\$301,949.95	\$72,019	\$373,969
Union	\$225,550,000	\$207,826.71	\$58,501	\$266,328
Vinalhaven	\$516,550,000	\$475,960.48	\$30,170	\$506,130
Warren	\$296,200,000	\$272,925.16	\$99,729	\$372,654
Washington	\$139,800,000	\$128,814.78	\$39,545	\$168,359
Sub-Total	\$7,181,900,000	\$6,617,560	\$1,005,552	\$7,623,112
Unorganized Territory	\$19,300,000	\$17,783.44	\$0	\$17,783
Lincolnvile		\$0	\$8,281	\$8,281
TOTAL	\$7,201,200,000	\$6,635,343	\$1,013,832	\$7,649,176
		-1.68%		
	2014 Tax Assessment \$6,537,284	Overlay \$98,059		
	Assessment + Overlay=	\$6,635,343		

TOWN OF CAMDEN
APPLICATION FOR SPECIAL AMUSEMENT PERMIT
FOR DANCING AND ENTERTAINMENT
(Pursuant to Camden Code, Police Ordinance, Chapter VIII, Part IIA)

\$20.00 paid on: _____ New Application: _____ Renewal Application: _____

1. a. Name of Applicant Whitehall Inn Telephone #: 236-3391
b. Street Address 52 High St. Camden, ME 04843
c. Mailing address SAME
2. a. Firm/Name of Business Whitehall Inn
b. Street Address 52 High St.
c. Nature of Business: (Please check appropriate line)
Restaurant _____ Video/Pool/Billiards _____
Other (please explain) FULL SERVICE INN
3. Do you intend to have any music other than radio or other mechanical devices and/or any dancing or entertainment of any sort on the licensed premises? YES _____ NO X NO DANCING
4. If the answer to #3 above is YES, describe in detail kind and nature of entertainment:
a. By professional entertainers: _____
b. By full-time or part-time employees: _____
c. Other: _____
5. Will any of the music be amplified? YES _____ NO X . If YES, describe in detail: _____

6. Describe in detail room or rooms to be used under this permit:
a. Eating areas RESTAURANT
b. Lounge: _____
c. Video/Pool/Billiards Room: _____
d. Other: PATIO

over, please

7. Have you ever been denied a special amusement permit or had a permit revoked? YES _____ NO
 If YES, describe circumstances: _____

8. Have you or any partner or corporate members been convicted of a felony? YES _____ NO . If YES, describe circumstances: _____

The applicant shall contact the Camden Fire Department (236-7950) prior to submitting this application to schedule a Life Safety Code inspection as referenced in the Camden Fire Prevention and Protection Ordinance. This facility complies with the Camden Fire Prevention and Protection Ordinance.

Signature of Camden Fire Department Inspector

Date

This permit includes all types of entertainment. Dancing is included only if you have a dancing license issued by the State Fire Marshall's Office. License No. _____




Signature of Applicant

If partnership, by members of partnership

Whitehall Inn Operating Company, Inc.

Name of Corporation



By its duly authorized corporate officer

TOWN OF CAMDEN

Dated at Camden, Maine on this _____ day of _____, 20____. The undersigned Municipal Officers of the Town of Camden, Maine, hereby approve the application set forth above.

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

WE, the **SELECT BOARD** of the Town of Camden, County of Knox, State of Maine, hereby reappoint the following individual to the indicated positions for the Town of Camden until July 1, 2015.:

Patricia Finnigan Town Manager (Article II, §1 of the Town Charter)

Dated: July 8, 2014

Martin Cates, Chairperson

Donald A. White, Jr., Vice Chairperson

James Heard, Secretary

John French

Leonard Lookner

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

WE, the **SELECT BOARD** of the Town of Camden, County of Knox, State of Maine, hereby reappoint the following people to the indicated positions for the Town of Camden until July 1, 2015:

Richard Seibel	Road Commissioner (Title 30-A MRSA § 2526(7))
Steven Pixley	Harbormaster (Article II, §5 of the Town Charter)

Dated: July 8, 2014

Martin Cates, Chairperson

Donald A. White, Jr., Vice Chairperson

John R. French, Jr., Secretary

John French

Leonard Lookner

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

WE, the **SELECT BOARD** of the Town of Camden, County of Knox, State of Maine, hereby reappoint the following people to the indicated positions for the Town of Camden until July 1, 2015:

Steve Wilson Health Officer (MRSA Title 22 § 451)

Dated: July 8, 2014

Martin Cates, Chairperson

Donald A. White, Jr., Vice Chairperson

John R. French, Jr., Secretary

John French

Leonard Lookner

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

WE, the **BOARD OF ASSESSORS** of the Town of Camden, County of Knox, State of Maine, hereby reappoint the following person to the indicated position for the Town of Camden until July 1, 2015.

James Murphy Assessors' Agent (Article IV, (C), §2 of Town Charter)

Dated: July 8, 2014

Martin Cates, Chairperson

Donald A. White, Jr., Vice Chairperson

James Heard, Secretary

John French

Leonard Lookner

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

I, Patricia Finnigan, Town Manager for the Town of Camden, Maine, Knox County, State of Maine, hereby reappoint the following individuals to the indicated positions for the Town of Camden until July 1, 2015 in accordance with Article III, §2(e) of the Town Charter.

Marlene Libby	Treasurer
Theresa Butler	Tax Collector
Katrina Oakes	Town Clerk

Hereby reappoint the following individuals to the indicated positions for the Town of Camden until July 1, 2015 in accordance with Article III, §2(f) of the Town Charter.

Justin Twitchell	Inland Harbormaster
Chris Farley	Fire Chief
Randy Gagne	Police Chief
Carol Sue Greenleaf	Finance Director
Steven Wilson	Code Enforcement Officer/Planner
Steven Wilson	Plumbing Inspector
Landon Fake	Parks & Recreation Director
Carol Sue Greenleaf	Deputy Treasurer
Chris Farley	Civil Emergency Preparedness Director
Richard Seibel	Public Works Director
Janice L. Esancy	General Assistance (Welfare) Administrator
Barton Wood	Tree Warden
Richard Seibel	Assistant Tree Warden

Hereby reappoint the following individuals to the indicated positions for the Town of Camden until July 1, 2015 in accordance with Title 30-A, Section 4171, M.R.S.A.

Steven Wilson	Electrical Inspector
William O'Donnell	Alternate Electrical Inspector

Hereby reappoint the following individuals to the indicated positions for the Town of Camden until July 1, 2015 in accordance with Article III, 2.g of the Town Charter.

William O'Donnell	Assistant Code Enforcement Officer
William O'Donnell	Alternate Plumbing Inspector
Tom Ford	Alternate Plumbing Inspector
Robert Wiggin	Sealer of Weights and Measures
Constable	Randy Gagne
Constable	Michael Geary

Dated: July 8, 2014

Patricia Finnigan, Town Manager

Office of:
Town Manager
Tax Assessor
Tax Collector
Town Clerk
Treasurer
Code Officer
Finance Director
Harbor Clerk



Town Office
P.O. Box 1207
29 Elm Street
Camden, Maine 04843
Phone (207)236-3353
Fax (207)236-7956
<http://www.camdenmaine.gov>

WE, the Select Board of the Town of Camden, Maine, Knox County, State of Maine, hereby confirm the appointments listed above until July 1, 2015, for the Town of Camden, said appointments having been made by Patricia Finnigan, Town Manager of Camden, Maine.

Dated: July 8, 2014

Martin Cates, Chairperson

Donald A. White, Jr., Vice Chairperson

James Heard, Secretary

John French

Leonard Lookner